

SOURCE

# STATE OF WASHINGTON **DEPARTMENT OF ECOLOGY**

## REPORT OF EXAMINATION FOR WATER RIGHT CHANGE

This Change Authorization Splits Off A Portion Of The Subject Water Right Claim.
The Portion Of The Water Right Claim Split Off Because Of This Change Will Be Tracked As
CG1-158498CL@174

And Will Be Referred To As Record FT

PRIORITY DATE	CLAIN	NO.	PERMIT NO.		CERTIFICATE NO.	
1888	1584	98				
NAME						
Alex and Dianne Pols	son					
ADDRESS/STREET			CITY/STATE		ZIP CODE	
244 40 <sup>th</sup> Avenue East			Seattle, WA		98112	
		PUBLIC WATERS T	TO BE APPROPRIAT	ED		
SOURCE						
Lake Washington						
TRIBUTARY OF (IF SURF	ACE WATERS)		7			
MAND AD A CUDIC FFFT	DED GEGOVED	TALAND CONTROL	IC DED ADULTE (	MANDEDA	A CORE EDET DED MEAD ( O/	
MAXIMUM CUBIC FEET (cfs)	PER SECOND	18	IS PER MINUTE (gpm)	MAXIMUM	ACRE FEET PER YEAR (ac-ft/y	
0.040				1.0		
QUANTITY, TYPE OF USE	E, PERIOD OF U	SE				
Irrigation of 0.25 acre	s – during in	rigation season (Ap	ril 15 through Octol	per 31)		
Diverting from the lal						
7:00 p.m. to 7:59 p.m year allowed to be use				on. The tota	l gallons of water per	
Vi. Sec. 1						
		LOCATION OF DIVI	ERSION/WITHDRAV	VAL		
APPROXIMATE LOCATIO	N OF DIVERSION	N_WITHDRAWAI				

## LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

-122.2807

QTR/QTR

SW 1/4

27

LATITUDE LONGITUDE

47.6215

1400 feet north and 2560 feet east of the SW corner of Section 27

PARCEL

Lake Washington 4199900010

[Attachment 1 shows location of the authorized place of use and point(s) of diversion or withdrawal] King County Tax Parcel Number 4199900010 (0.25 acres) located in the SW 1/4, Section 27, Township 25 N, Range 4 E. W.M. The following map shows the approximate location of Parcel Number 4199900010. Attachment 1 also shows the point of diversion and place of use.



Figure 1. Parcel map showing the point of diversion and place of use.

SECTION TOWNSHIP RANGE

25

4E.W.M

#### **DESCRIPTION OF PROPOSED WORKS**

The water supply system will consist of a screened intake pipe, located off a dock in Lake Washington, a pump, a meter, an irrigation control system and irrigation piping. The system will comply with the requirements of this report of examination and the requirements of the Department of Fish and Wildlife.

	DEVELOPMENT SCHEDULE	
BEGIN PROJECT BY THIS DATE	COMPLETE PROJECT BY THIS DATE	WATER PUT TO FULL USE BY THIS DATE
12/31/2014	12/31/2015	12/31/2017

#### **PROVISIONS**

The amount of water granted is a maximum limit that shall not be exceeded and the water user shall be entitled only to that amount of water within the specified limit that is beneficially used and required.

## Metering Provision:

An approved measuring device shall be installed and maintained for the diversion of the source identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", Chapter 173-173 WAC.

Water use data shall be recorded twice a month. Data shall be maintained by the property owner and promptly submitted to Ecology upon request. Recording and retention of data by the water right holder are required to inform the water users about how much water is used, to prove reperfection of the water right after the change, when the water is used, and to assist users in efficient water management.

Chapter 173-173 WAC describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition Ecology for modifications to some of the requirements. Installation, operation, and maintenance requirements are enclosed as a document entitled "Water Measurement Device Installation and Operation Requirements".

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the records of water use that are kept to meet the above conditions, and to inspect at reasonable times any measuring device used to meet the above conditions.

## Washington Department of Fish and Wildlife provision:

The intake shall be screened at all times in accordance with Department of Fish and Wildlife screening criteria. This water right is issued subject to Washington Department of Fish and Wildlife Hydraulic Project Approval.

## Shoreline Management Act:

Nothing in this authorization shall be construed as excusing the permittee from compliance with any applicable federal, state, or local statutes, ordinances, or regulations including those administered by local agencies under the Shoreline Management Act of 1971.

## Irrigation scheduling:

This water right can only divert water from Lake Washington between 11:00 AM and 12:59 PM and 7:00 PM and 7:59 PM on ODD numbered days, during the irrigation season. To prevent an enlargement of the water right, the water right holder shall install an automatic irrigation timer capable of restricting the time of pumping from Lake Washington to the period described above.

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the automatic irrigation timer to verify that water is only being diverted during the time period indicated above.

#### Other:

If it can be shown that the requested change has a detrimental effect on existing rights, it shall be the responsibility of the water right holder to mitigate for this impact and/or alter or cease withdrawal of water.

The applicant is advised that a certificate of change will issue for only that quantity of water that has been diverted and applied to actual beneficial use. Such quantity applied to actual beneficial use shall not exceed the quantity specified in this report of examination and will be calculated based on the best information available to Ecology, including metering data.

A certificate of change will not be issued until a final investigation is made.

#### FINDINGS OF FACT AND ORDER

Upon reviewing the investigator's report, I find all facts relevant and material to the subject application have been thoroughly investigated. Furthermore, I find the change of water right as recommended will not be detrimental to existing rights or the public welfare.

Therefore, I ORDER approval of the recommended point of withdrawal, place of use, and purpose of use changes under Change Application No. CG1-158498CL@ 174, subject to existing rights and the provisions listed above.

You have a right to appeal this action to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this document. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal, you must do the following within 30 days of the date of receipt of this document:

- File your appeal and a copy of this document with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this document on Ecology in paper form by mail or in person. (See addresses below.) Email is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses		
Department of Ecology	Department of Ecology		
Attn: Appeals Processing Desk	Attn: Appeals Processing Desk		
300 Desmond Drive SE	PO Box 47608		
Lacey, WA 98503	Olympia, WA 98504-7608		
Pollution Control Hearings Board	Pollution Control Hearings Board		
1111 Israel Road SW Suite 301	PO Box 40903		
Tumwater, WA 98501	Olympia, WA 98504-0903		

For additional information visit the Environmental Hearings Office Website: <a href="http://www.eho.wa.gov">http://www.eho.wa.gov</a>. To find laws and agency rules visit the Washington State Legislature Website: <a href="http://www1.leg.wa.gov/CodeReviser">http://www1.leg.wa.gov/CodeReviser</a>.

Signed at Bellevue, Washington, this	10	day of January	2013.
Man I C		J	
Jacqueline Klug, Section Manager Water Resources Program			

Northwest Region Office

#### **INVESTIGATOR'S REPORT**

## **BACKGROUND**

## **Description and Purpose of Proposed Change**

On May 16, 1974, the Department of Ecology received a water right claim form from the King County Water District No. 1 signed by John R. Adams on May 12, 1974. This water right claim was assigned number 158498 by Ecology.

King County Water District No. 1 (WADOH Water System Id. 38650) has entered into an interlocal agreement with the City of Bellevue under which the City has assumed the District's water system and service area and the District will eventually dissolve. The District must sell its assets, including water rights, to pay the costs of upgrading the water system and interconnecting with the City of Bellevue's water system. The property that contained the original points of withdrawal for this water right claim was sold to the City of Kirkland, minus the water right. The District has adopted a resolution offering to sell shares of its water rights to its existing residents and, to the extent of availability, to other lakefront property owners for irrigation of lawns and gardens.

WATER RIGHT TRACKING NUMBER	OWNER	QI (GPM)	QA (AFY)	DOCUMENT TYPE* (Report of Examination or Certificate of Change)
Original 158498 before any changes	KCWD NO. 1	293.6 (tentative determination)	473.6 (tentative determination)	
158498B	ROBERT AND KATHLEEN TRIMBLE	19	0.7	ROE
158498C	CARL STORK	36	1.3	ROE
158498D	CITY OF KIRKLAND	142	41.8	CERTIFICATE of CHANGE
158498E	THOMAS J. MILLER	14	0.7	ROE
158498F	DAN NORDSTROM	18	1.3	ROE
158498G	SGT, LLC	20	1.0	ROE
158498H	GARY W. SERGEANT	20	1.4	ROE
158498I	CKK	19	0.7	ROE
158498J	FLEMING	24	1.0	ROE
158498K	TRIMBLE	13	0.4	ROE
158498L	THOMPSON	70	4.0	ROE
158498M	BRUCE JONES	20	0.73	ROE
158498N	GARY JONES	18	1.0	ROE
1584980	BETH POST	18	1.0	ROE
158498P	WILMA HAGEN	15	0.6	ROE
158498Q	RPW PARTNERSHIP	15	0.6	ROE
158498R	ROSS REVOCABLE TRUST	15	0.6	ROE
158498S	DORIS J. HART	15	0.27	ROE
158498T	ROBERT F. ABRAMSON, JR.	14	0.5	ROE
158498U	JAN & PRICILLA BREKKE RESIDENCE TRUST	19	2.8	ROE
158498V	ROBERT D. BISHOP	16	1.3	ROE
158498W	CASCADE TRUST, ELLEN CONEDERA DIAL, TRUSTEE	32.6	6.0	ROE
158498X	WILLIAM HUNT	10	0.4	ROE
158498Y	WILLIAM & GERI FRANTZ	18	1.0	ROE
158498Z	WILLIAM & GERI FRANTZ	19	1.4	ROE
158498AA	ELIZABETH FREEMAN	14	0.5	ROE
158498AB	CHARLES WALLACE	15	0.3	ROE
158498AC	SEATTLE YACHT CLUB	20	1.8	ROE
158498AD	WILLIAM BOETTCHER	18	1.0	ROE
158498AE	MAX A. GURVICH	18	0.3	ROE
158498AF	SCHIRO REVOCABLE TRUST	27	1.5	ROE
158498AG	SCHIRO REVOCABLE TRUST	22	2.0	ROE
158498AH	CITY OF MERCER ISLAND PARKS	40	4.5	ROE
158498AI	RALPH AND KATHARINE BRINDLEY	17	0.6	ROE

OKI DEVELOPMENT	16	0.9	ROE
OKI DEVELOPMENT	27	3.0	ROE
RODNEY, JANICE OLSON	22	1.2	ROE
P.A. HASHISAKI	14	0.5	ROE
STEVEN SIMON	13.6	0.5	ROE
DOUGLAS GAMBLE	25	1.0	ROE
JAMES AND ELIZABETH REID	18	0.7	ROE
PETER AND JULIEANN BRAMAN	. 18	0.3	ROE
JOHN TORODE	14	1.0	ROE
RICK, JACQUE DOANE	18	1.0	ROE
JASON SANDMAIER	22	1.2	ROE
CITY OF BELLEVUE	90	10.1	ROE
DONALD W LEVTHOLD	22	1.2	ROE
EDWARD TORKELSON & KATHY KEARNEY	15	0.3	ROE
KIRK & JILL CALLISON	12	0.4	ROE
MARY ELLEN & LAWRENCE HUGHES	18	2	ROE
ROBERT ANDREWS/DAWN BOVA	33	1.2	ROE
			ROE
JOHN T. AND LYNN B.	12	0.4	ROE
			ROE
	18	1.0	ROE
MARINA, LLC / MARINA SUITES, LLC			WITHDRAWN
			ROE
			ROE
The state of the s			ROE
			ROE
			ROE
			ROE
BRUCE F. TALL	17	0.6	ROE
I DITTE DO CHALIDIA DODDO	22	1.2	ROE
PHILIP & CLAUDIA ROBBS	22		
JOHN B. & LINDA MASON  JOHN B. & LINDA MASON	14	0.5	ROE ROE ROE
	RODNEY, JANICE OLSON P.A. HASHISAKI STEVEN SIMON DOUGLAS GAMBLE JAMES AND ELIZABETH REID PETER AND JULIEANN BRAMAN JOHN TORODE RICK, JACQUE DOANE JASON SANDMAIER CITY OF BELLEVUE DONALD W LEVTHOLD EDWARD TORKELSON & KATHY KEARNEY KIRK & JILL CALLISON MARY ELLEN & LAWRENCE HUGHES ROBERT ANDREWS/DA WN BOVA DONALD ANDERSON SVEN & MELINDA BITNERS GATIS & JOANNA ROZE GARY SCHULZE JOSEPH & LAURIE BLATTNER ANNE MARIE PICKLES DONALD & DEANNE ETSEKSON MAREN GILLILAND EDWARD G PAVLIN STEPHEN & CHRISTINA POORE TOWN OF YARROW POINT HUBERT & ALISON KOLDE ROBERT & MARGARET PHILBRICK SAMUEL LECLERCQ DONALD L. NOTHSTEIN NICHOLAS & CAROL WESTLUND O'NEIL FAMILY REVOCABLE TRUST EDWARD G PAVLIN WILLIAM P & MARGARET M DORSEY GEORGE W AKERS ALAN & LESLIE ROSEN ALFRED W. FINCH GLENHOME WATER ASSOCIATION DAVID SANDWITH JOHN T. AND LYNN B. HUTTENLOCHER DAN M. MADIGAN JR. GORDON A. & PATRICIA COHEN MILTON T. ENGLISH WILLOUGHBY LLC THOMAS G. & SARMITE DAVIDSON HAL & JOAN GRIFFITH CARMEN A. SEPIC MICHAEL & SUSAN CERO TODD W. & POLLY E. GARDNER YARROW BAY YACHT BASIN & MARINA, LLC / MARINA SUITES, LLC DIANE MARIE WILCOX HOWARD & LYNN BEHAR SANFORD & CYNTHIA LEVY RICHARD & LESLIE WEST ROBERT & DORSI LAWLER STEPHEN & ELIZABETH ROSENMAN	RODNEY, JANICE OLSON   22	RODNEY, JANICE OLSON   22

158498CU	GERALD & PENELOPE PEABODY	17	0.6	CERTIFICAT of CHANGE
158498CV	BENJAMIN CROPP	19	0.7	ROE
58498CW	PAUL & NANCY ETSEKSON	18	0.3	ROE
58498CX	CRAIG E. TALL	21	0.8	ROE
58498CY	TIMOTHY C. & JOANNA R. COLLINS	17	0.6	ROE
58498CZ	MATTHEW ANDERSON	14	0.5	ROE
58498DA	RICHARD A. GALANTI	25	1.4	ROE
58498DB	BRIAN & RANDY POLLOCK	20	0.4	ROE
58498DC	TERRY & SUSAN MOSS	14	0.5	ROE
58498DD	SUZANNE L. MCGILL AND MR. & MRS SINEGAL	21	1.2	ROE
58498DE	JAMES D. & JANET L. SINEGAL	27	2.0	ROE
58498DF	CANLIS FAMILY LIVING TRUST	21	0.8	ROE
58498DG	ELIZABETH L GALLAUGHER	20	0.4	ROE
58498DH	GARY FELDMAN	17	0.6	ROE
58498DI	LOWERY C MOUNGER, JR.	15	0.8	ROE
58498DJ	JANE A. MEYER	20	0.7	ROE
58498DK	GEORGE E & SUSAN HOWISON	14	0.5	ROE
58498DL	RICHARD A. TOWER	21	0.8	ROE
58498DM	JAMES W. & JANE F. BECKER	18	0.7	ROE
58498DN	THOMAS M. & AGNES B. LEE	25	1.8	ROE
58498DO	HULEN, LLC	20	1.5	ROE
58498DP	LOCKWOOD FOUNDATION/ SARAH EASTERBROOK	20	0.7	ROE
58498DQ	JOE & KRISTINA BELFIORE	19	1.42	ROE
58498DR	JON & JENNY ROSKILL	25	0.9	ROE
58498DS	AMY BABSON & GEORGE RICHTER	22	1.6	ROE
58498DT	JEFF STICKNEY	50	0.5	ROE
58498DU	THOMAS W. & TRACY A. READ	15	0.3	ROE
58498DV	STUART V. & LUCY K. WILLIAMS	20	0.4	ROE
58498DW	BRUCE BONINE	20	0.4	ROE
58498DX	HOBART PROPERTIES TRUST/ ROBERT CYSEWSKI TRUSTEE	20	1.1	ROE
58498DY	DOUGLAS & DEBORAH ROSEN	21	1.2	ROE
58498DZ	ROBERT W. & CAROL M. ANDERSON	12	0.2	ROE
58498EA	CHARLES S. & KAREN E. LYTLE	22	2.4	ROE
58498EB	PAUL B. & JOYCE S. BIRKELAND	14	0.3	ROE
58498EC	FRANK & LESLIE HIGGINS	18	1.0	ROE
58498ED	FRANK & LESLIE HIGGINS	15	0.5	ROE
58498EE	TAILWIND TRUST	22	2.0	ROE
58498EF	NJE TRUST	23	1.7	ROE
58498EG	RONALD TANEMURA & TINA YAMAGIWA	18	1.0	ROE
58498EH	128 LAKE WASHINGTON BLVD	18	1.7	ROE
58498EI	FOX CREEK, LLC	22	2.0	ROE
58498EJ	1611 ROANOKE LLC	18	0.7	ROE
58498EK	MI PROPERTY DEVELOPMENT LLC	18	1.3	ROE
58498EL	SURI & MALA RAMAN	18	0.4	ROE
58498EM	TOM WALKER	12	0.2	ROE
58498EN	ZHUO (JOE) WANG	15	1.1	ROE
58498EO	SIDHIR & HEATHER SINGH	18	1.0	ROE
58498EP	JOHN DEMCO/PATTY CIRTAUT	20	1.1	ROE
58498EQ	LAKESIDE RESIDENCE LLC	14	.50	ROE
58498ER	RICHARD & CHRSTINE DICERCHIO	20	.75	ROE
58498ES	NORBERT YANEZ	11.7	0.6	ROE
58498ET	CHARLES & NANCY PORTER	18	1.0	ROE
58498EU	WATERSTONE PROPERTIES	18	1.0	ROE
58498EV	JOHN HELLER	20	0.7	ROE
58498EW	ROBERT KESSLER	14	1.0	ROE
58498EX	MICHAEL & CHRIS KESSLER	14	0.5	ROE
58498EY	TERRY LANGSTON	20	1.1	ROE
58498EZ	STEVEN & APRIL KIEBURTZ	16	1.5	ROE
58498FA	HADI & ALI PARTOVI	20	1.8	ROE
58498FB	ROBERT MACAULAY & KERI ELLISON	18	1.0	ROE
58498FC	WILBUR SANDBULTE	18	1.0	ROE

158498FD	ROBERT & PAMELS ESHELMAN	27	2.5	ROE
158498FE	JAMES & MARY BRUCKNER	18	1.0	ROE
158498FF	TOM & CYNTHIA CAPTAIN	16	.60	ROE
158498FG	MARIA STAAF & WILLIAM JONES	18	1.3	ROE
158498FH	HPW TRUST	22	2.0	ROE
158498FI	120 LWBE LLC	11	1.22	ROE
158498FJ	M THOMAS HULL	23	3.0	ROE
158498FK	AMBLESIDE LLC	18	1.5	ROE
158498FL	HIRSCHFIELD	6	0.1	ROE
158498FM	RICHARDS	16	1.2	ROE
158498FN	ASPEN VENTURES LLC	49	11.8	ROE
158498FO	JASON & KRISTEN BAY	20	2.2	ROE
158498FP	MICHELE & NEIL KELLER	16	1.2	ROE
158498FQ	JOHN & SALLIE CHANEY	23	3.0	ROE
158498FR	JAY & INGER DEUTSCH	22	3.3	ROE
158498FS	KFP LLC	12	.4	ROE
158498FT	ALEX & DIANNE POLSON	18	1.0	ROE

<sup>\*</sup> The instantaneous and annual rates given for Report of Examination documents are the maximum authorized; the values given for certificates of change are the values that have actually been reperfected after the change.

Table 2. Managing the Instantaneous Diversion Rate from Lake Washington Under Water Right Claim 158498

Water Right Record with individual diversion rates in gpm in () and combined rate in gpm

	Perendikan dan Palisera Palisan dan bandan Palisera	and combined rate in gpm  ODD DAYS		
Time	Jan. 1 – April 14	April 15–October 31	Nov. 1 – Dec. 31	Comments
12:00 – 12:59 am	0	D(142), AU(90), AZ(33), CR(14), CS(14) 293	0	Only 0.6 GPM still available
1:00 – 1:59 am	0	D(142), AU(90), AZ(33), CR(14), CS(14) 293	0	Only 0.6 GPM still available
2:00 – 2:59 am	0	B(19), C(36), D(142), E(14), AU(82.6), 293.6	0	Fully Allocated
3:00 – 3:59 am	0	B(19), C(36), D(142), E(14), W(32.6), CC(15.9), DJ(20), DK(14) 293.5	0	Only 0.1 GPM still available
4:00 – 4:59 am	0	D(142), E(14), W(32.6), AR (14), AY(18), BC(20), CC(15.9) DJ(20), DK(14) 290.5	0	Only 3.1 GPM still available
5:00 – 5:59 am	0	D(142), E(14), W(32.6), AG(22), AN(13.6), AR(14), AY(18), BC(20), BJ(15) 291.2	0	Only 2.4 GPM still available
6:00 – 6:59 am	0	D(142), W(32.6), AD (18), AG(22), AJ(16), AN(13.6), AR(14), AY(18), BJ(15) 291.2	0	Only 2.4 GPM still available
7:00 – 7:59 am	0	N(18),AD (18), AG(22), AJ(16), AR(14), AT(22), AY(18), BG(18), BJ(15), BL(15), BO(15), BS(18), BT(18), BU(10), CZ(14), DG(20) DM(18) 289	0	Only 4.6 GPM still available
8:00 – 8:59 am	0	G(20), K(13), N(18), AD (18), AG(22), AJ(16), AK(27), AM(14), AO(25), AP(18), AS (18), AT(22), AX(12), AY(18),CZ(14), DM(18) 293	0	Only 0.6 GPM still available
9:00 – 9:59 am	0	G(20), K(13), N(18), Q(15), X(10), AG(22), AK(27), AL(22), AM(14), AO(25), AP(18), AQ(18), AS (18), AT(22), AX(12), AY(18) 292	0	Only 1.6 GPM still available
10:00 – 10:59 am	0	G(20), O(18), Q(15), X(10), AF(27), AK(27), AL(22), AO(25), AS (18), CD(22), DO(20), EM(12),EU(18),EV(20),EV(20), FE(18) 278	0	Only 1.6 GPM still available
11:00 – 11:59 am	0	O(18), AF(27), AK(27), AL(22), BI(18), BR(18), BV(15), CD(22), DO(20), ED(15) ER(20), EU(18), FE(18), <b>FT(15.6)</b> 273.6	0	Fully Allocated
12:00 – 12:59 pm	0	O(18), AF(27), AK(27),BI(18) BR(18), BV(15), CD(22), DR(25), EC(18), ED(15) ER(20),ET(18),EU(18), FE(18), FM(16), FT(18.6) 311.6	0	Fully Allocated

1:00 – 1:59 pm	0	AK(27), DC(14), DE(27), DN(25), DQ(19), DR(25), DX(20), EC(18), EH(18), ET(18), FM(16), FN(49),FQ(23) 299	0	
2:00 – 2:59 pm	0	BY(12), DC(14), DE(27), DN (25), DQ(19), DX(20), EC(18), EH(18), ET(18), FJ(23), FM(16), FN(49), FQ(23), FR(22) 304	0	
3:00 – 3:59 pm	0	BY(12), DE(27), DN(25), DQ(19), DX(20), EH(18), EO(18), FJ(23), FM(16), FN(49), FO(20), FQ(23), FR(22) 292	0	
4:00 – 4:59 pm	0	BZ(14), CY(17), DE(27), DN(25), DQ(19), EG(18), EH(18), EO(18), FJ(23), FN(49), FO(20), FQ(23), FR(22) 293	0	
5:00 – 5:59 pm	. 0	BK(49), BZ(14), CY(17), DW(20), EG(18), EH(18), EO(18), FI(11), FJ(23), FN(49), FO(20), FQ(23) 280	0	
6:00 – 6:59 pm	0	R(15), W(32.6), BK(49), CU(17), DD(21), EG(18), EI(22), EZ(16),FA(20), FI(11), FJ(23), FN(49) 293.6	0	
7:00 – 7:59 pm	0	R(15), W(32.6), BK(49), CU(17), DD(21), EF(23), EI(22), ES(11.7),EW(14),EZ(16),FA(20), FI(11), FJ(23), FT(18.3) 293.6	0	Fully Allocated
8:00 – 8:59 pm	0	W(32.6), BK(49), DA(25), DD(21), EF(23), EI(22) ES(11.7), EW(14), EZ(16), FA(20), FI(11), FJ(23) 268.3	0	
9:00 – 9:59 pm	0	W(32.6), BK(49), BW(41), DA(25), EF(23), EI(22) ES(11.7), EW(14), EZ(16), FA(20, FI(11) 265.3	0	
10:00 – 10:59pm	0	W(32.6), BK(49), BW(41), DA(25), EF(23), EI(22),EW(14),EZ(16),FA(20), FI(11) 253.6	0	
11:00 – 11:59pm	0	D(142), W(32.6), AU(90), BN(20), FL(6) 290.6	0	Only 3 GPM still available

		EVEN DAYS		
Time	Jan. 1– April 14	April 15–October 31	Nov. 1– Dec. 31	Comments
12:00 – 12:59 am	0	D(142), AH(40), AU(90), BX(20) 292	0	Only 1.6 GPM still available
1:00 – 1:59 am	0	D(142), AH(40), AU(90), BX(20) 292	0	Only 1.6 GPM still available
2:00 – 2:59 am	0	D(142), AH(40), AU(90), BX(20) 292	0	Only 1.6 GPM still available
3:00 – 3:59 am	0	D(142), AC(20), AH(40), BX(20), CC(15.9), CK(20), CL(20), DU(15) 292.9	0	Only 0.7 GPM still available
4:00 – 4:59 am	0	D(142), F(18), Y(18), Z(19), AC(20), AH(40), BX(20), CC(15.9) 292.9	0	Only 0.7 GPM still available
5:00 – 5:59 am	0	D(142), F(18), Y(18), Z (19), AC(20), AH(40), AW(15), BB(10), 282	0	
6:00 – 6:59 am	0	D(142), F(18), P(15), T(14), Y(18), Z(19), AC(20), AI(17), CW(18), FS(12) 293	0	
7:00 – 7:59 am	0	F(18), L(70), P(15), T(14), V (16,) Y(18), Z(19), AB(15), AC(20) AI(17), BD(22), BF(22), BO(15), FS(12) 293	0	,
8:00 – 8:59 am	0	H(20), I(19) J(24), L(70), M(20), V(16), BA(18), BD(22), BF(22), CA(18), CQ(22), DB(20) 291	0	Only 2.6 GPM still available
9:00 – 9:59 am	0	H(20), I(19) J(24), L(70), M(20), V(16), AV(22), BA(18), BD(22), BE(18), BF(22), CQ(22) 293	0	Only 0.6 GPM still available
10:00 – 10:59 am	0	H(20), U(19), V(16), AE(18), AV(22), BA(18), BD(22), BE(18), BX(20), CQ(22), DO(20), EP (20), EY(20), FC(18), FG(18), FH(22) 313	0	Only 0.6 GPM still available
11:00–11:59 am	0	H(20), U(19), AV(22), BA(18), BX(20), CE(20), CT(16), DO(20), EP (20), EY(20),FB(18).FC(18),	0	

		FG(18), FH(22), FK(18) 289		
12:00– 12:59 pm	0	U(19), BM(17), BP(14) BQ(18), BX(20), CE (20), CT(16), DF(21), EA(22), EP (20), EQ(14),	0	
		EY(20).FB(18),FC(18), FG(18), FH(22), FK(18) 315		
1:00 – 1:59 pm	0	U(19), BM(17), BP(14), BQ(18), CE(20), CX(21), DF(21), DI(15), DS(22), EA(22), EQ(14),FB(18), FF(16), FG(18), FH(22), FK(18) 295	0	
2:00 – 2:59 pm	0	U(19), BM(17), BP(14), CE(20), CH(18) CJ(17). CP(17), CX(21), DI(15), DS(22), EA(22), FF(16), FH(22), FK(18), FN(49) 307	0	
3:00 – 3:59 pm	0	U(19), CH(18), CI(18), CJ(17), CN(21), CO(17), CP(17), DI(15), DS(22), EA(22). EX(14), FK(18), FN(49), FO(20) 287	0	
4:00 – 4:59 pm	0	U(19), AA(14), CH(18), CI(18), CJ(17), CN(21), CO(17), DS(22), EA(22), EN(15), EX(14), FN(49), FO(20), FP(16) 282	0	
5:00 – 5:59 pm	0	U(19), AA(14), BK (49), CI(18), DH(17), EA(22), EE(22), EN(15), FD(27), FN(49), FO(20), FP(16) 288	0	
6:00 – 6:59 pm	0	S(15), BK(49), CG(18), CM(21), DH(17), EE(22), EJ(18), EN(15),FD(27), FN(49), FP(16) 267	0	
7:00 – 7:59 pm	0	BH(12), BK(49), CG(18), CM(21), DL(21), EE(22), EJ(18), EK(18), EN(15), FD(27), FN(49) FP(16) 286	0	
8:00 – 8:59 pm	0	BH(12), BK(49), CB(40), DL(21), DY(21), DZ(12), EE(22), EK(18), FD(27), FN(49) 271	0	
9:00 – 9:59 pm	0	BH(12), BK(49), CB(40), CF(14), CV(19), DP(20), DY(21), EB(14), EE(22), EK(18), FD(27) 256	0	
10:00–10:59 pm	0	BK(49), CB(40), CF(14), CV(19), DP(20), DT(50), DV(20), DY(21), EK(18), EL(20) 271	0	Only 2.6 GPM still available
11:00–11:59 pm	0	D(142), AU(90), CB(40), CF(14), 286	0	Only 7.6 GPM still available

## Attributes of the Claim and Proposed Change

On April 2, 2012, the Department of Ecology accepted a change application from Alex and Dianne Polson on water right claim 158498. Ecology assigned this change application the tracking number CG1-158498CL@174.

Table 3
Summary of Proposed Changes to Water Right Claim No. 158498

Attributes	Existing	Proposed
Name	King County Water District No. 1	Alex & Dianne Polson
Priority Date   Date of Application for Change	1888	April 2, 2012
Instantaneous Quantity Claimed (Quantity Presently Used)	900 gallons per minute (gpm) (250 gallons per minute (gpm))	0.040 CFS (18) GPM)
Annual Quantity Claimed (Quantity Presently Used)	1440 acre-feet per year (afy) (400 acre-feet per year (afy))	1.0
Source	Well	Lake Washington
Point of Diversion/Withdrawal	NW1/4, Section 17, Township 25 North, Range 5 East, W.M.	SW 1/4, Section 27, Township 25 N, Range 4 E. W.M

Purpose of Use	Municipal Supply	Irrigation
Period of Use	Continuously	During the Irrigation Season (April 15 through October 31)
Place of Use	Replat of Yarrow Section 18, Township 25 North, Range 5 E. W. M.	King County Tax Parcel No. 4199900010 in the SW 1/4, Section 27, Township 25 N, Range 4 E. W.M.

## Legal Requirements for Proposed Change

The following is a list of requirements that must be met prior to authorizing the proposed change in the point of withdrawal, place of use, and purpose of use.

#### Public Notice

A public notice of the proposed change was published in the Daily Journal of Commerce on August 2 and 9, 2012. No protests were received.

## • State Environmental Policy Act (SEPA)

This water right change application is categorically exempt under SEPA WAC 197-11-305 and WAC 197-11-800(4).

#### • Water Resources Statutes and Case Law

Chapters 90.03, 90.14, and 90.44 RCW authorize the appropriation of public water for beneficial use and describe the process for obtaining water rights including the process to amend or change existing rights. Laws specifically governing the water right permitting process are RCW 90.03.250 through 90.03.340 and RCW 90.44.060. Changes or amendments to these rights are covered primarily under RCW 90.03.380 and RCW 90.44.100.

## **INVESTIGATION**

In considering this application, my investigation included, but was not limited to research and/or review of:

- The State Water Code
- The State Environmental Policy Act (SEPA)
- Washington State Department of Fish and Wildlife Comments
- Existing water rights on file for King County Water District No. 1 and the applicants property
- Notes from site visits on January 13, 2006, February 23, 2006, August 21, 2009.
- Correspondence from Thomas M. Pors (attorney for King County Water District No. 1), and Robert Trimble (current president of the board for King County Water District No. 1).
- Topographic maps, local area maps, and aerial photos
- Report of Hydrogeologic Services, Hydrogeologic Assessment, King County Water District No. 1 Well Field, Kirkland, Washington (GeoEngineers, November 7, 1995)
- Report, Wellhead Protection Study, Kirkland Well Field (GeoEngineers, March 3, 2000)
- Hydrologic Report for Change Applications Relating to the Transfer of Water Originally Withdrawn Under Ground Water Claim 158498 and Being Changed to Points of Diversion out of Lake Washington for Irrigation (Andrew B. Dunn, January 23, 2006)
- State of Washington Irrigation Guide, 1985, amended 1990 and 1992.
- Guidance 1210, Department of Ecology Water Resources Program, Effective Date 10/11/2005.
- A Point in Time, A History of Yarrow Point, Washington (by the citizens of Yarrow Point, 2002)
- Yarrow a Place, An Historical Commentary of Lives and Times During the Early Development of Yarrow Point (Jeanne L. Whiting, 1976)

## **History of Water Use**

A Tentative Determination Analysis for the original water right claim, prior to any portion of the water right claim being sold off, is attached to this report (see Attachment 2). It concluded that 293.6 gpm and 473.6 acrefeet per year were perfected for year round municipal use and no portion of that was lost due to statutory relinquishment or common law abandonment

Hydrologic/Hydrogeologic Evaluation (Summarized from Dunn, 2006)

Greater Lake Washington, including the Lake Washington Ship Canal, Salmon Bay, and Lake Union, is approximately 22,250 acres in size and is separated from the marine waters of Puget Sound by the Hiram M. Chittenden Locks operated by the U.S. Army Corps of Engineers.

The points of withdrawal utilized by the District were located at the western edge of the Vashon Advance Outwash aquifer. Ground water flowing in this aquifer that is not captured by the wells discharges as springs to form the headwaters of Carillon Creek. Carillon Creek proceeds to flow down hill through Carillon Point and finally into Lake Washington.

## Discussion of Annual Volume Available for Change from Year Round Use to Seasonal Use

This change application proposes to change the purpose of use from municipal supply to irrigation. The irrigation season, as defined by the change application is April 15<sup>th</sup> through October 31<sup>st</sup>. This is a period of 200 days, which equates to approximately 55% of the year. So, applying that percentage to the 473.6 acre-feet per year, we arrive at 259.5 acre-feet per year that could be utilized during the period of April 15<sup>th</sup> through October 31<sup>st</sup>. The remainder (214.1 acre-feet per year) was historically utilized during the non-irrigation season months and would not be available for use during the irrigation season.

## **Irrigation Season Determination**

The applicant requested an irrigation season of April 15<sup>th</sup> through October 31<sup>st</sup>. This time period brackets the dates when a water right for irrigation purposes can be exercised. In looking at the Seattle-Tacoma and Seattle U of W stations in the State of Washington Irrigation Guide (1985 and 1992), the period of time during which irrigation is required to satisfy the CIR for a variety of crops starts in April and runs into October. Given the weather conditions in the Seattle area, it is not likely that an irrigator will have to irrigate over this entire duration in a typical year. However, the proposed irrigation season of April 15<sup>th</sup> through October 31<sup>st</sup> seems reasonable to set the outer bounds on the irrigation season and account for possible needs during drought years.

A graph of historic water use by Seattle Public Utilities was analyzed to determine when water use occurs for irrigation, which should be represented as an increase in use compared with background winter-time in-house domestic use (http://www.seattle.gov/util/About\_SPU/Water\_System/Water\_Supply/COS\_004041.asp). This analysis suggests that the proposed irrigation season will capture the observed high water use period.

Given the management scheme that has been set up for the number of anticipated water right changes to water right claim 158498, all irrigation rights derived from this claim must have the same season of use. Therefore, it makes sense to set an irrigation season that will capture all extremes of weather, plants, and irrigation needs.

## Season or Period of Use

Since the purpose of use is being changed from a year round use (municipal) to a seasonal use (irrigation) the season of use is automatically changed to reflect this.

## Washington Department of Fish and Wildlife Comments

On August 8, 2005, the Department of Ecology received a letter from the WDFW stating that, "Lake Washington is inhabited by sockeye, Chinook, coho, steelhead, cutthroat, and numerous native and non-native fish species." It also requested that this water right should be subject to established lake levels, if any. The new water right holder would need to obtain a Hydraulic Project Approval (HPA) from the Washington State Department of Fish and Wildlife for work performed in or near the water and during that process they would require them to screen their intake structure. This letter received from WDFW was designed to apply to all change applications of this nature for water right claim 158498.

#### **Topographic and Local Area Maps**

The Kirkland USGS 1:24,000 scale topographic map and the King County Assessor's maps and aerial photos, accessed through their iMap website (http://www.metrokc.gov/gis/mapportal/iMAP\_main.htm#) were used during this investigation.

#### **Proposed Use**

Alex and Dianne Polson plan on irrigating turf (0.15 acres) and landscape plants (0.10 acres) on a total of 0.25 acres. The State of Washington Irrigation Guide (1992 update) calculates the crop irrigation requirement, with a 2-year return interval (every other year the crop will experience a shortage of water), for pasture/turf at the

Seattle-Tacoma station as being 20.02 inches per year. In this guide, the irrigation of pasture/turf runs from April through September.

$$TIR = \frac{CIR}{E} * 100$$

TIR – Total Irrigation Requirement CIR – Crop Irrigation Requirement E – Irrigation System Efficiency in percent

For Pop-up impact sprinklers, estimates for efficiency are 60-85% with 75% being the average (Ecology Water Resources Program Guidance 1210). An efficiency of 75% was assumed for this calculation.

$$TIR = 20.02 \text{ inches} * 100$$

TIR = 26.69 inches

On the website for the Irrigation Water Management Society (http://www.iwms.org/seattle\_area.asp), it estimates that the amount of water needed for landscape plant irrigation is approximately 70% of that required for turf. Taking 70% of 26.69 inches equates to a total irrigation requirement of 18.68 inches for the landscape plant acreage.

<u>Turf</u>: Using a TIR of 26.69 inches, the volume pumped to irrigate 0.10 acres of turf is calculated as  $0.10 \times 2.22 = 0.222$  afy.

<u>Landscape Plants</u>: The volume of water needed to irrigate 0.15 acres with a TIR of 18.68 inches is calculated as  $0.15 \times 1.55 = 0.233$  afy.

<u>Total Irrigation</u>: The calculated irrigation requirement for the entire 0.25 acres of irrigation is 0.455 afy. The applicant purchased 1.0 afy from King County Water District #1 for irrigation. The requested 1.0 afy for irrigation of turf and landscape plants is based solely on the instantaneous pumping rate and duration of pumping utilized by the system.

<u>Final Acre-Feet Per Year</u>: The applicant proposes to irrigate from April 15 to October 31 on ODD number days during the irrigation season. The annual quantity cannot be greater than 1.0 acre feet. The acre feet assigned to the final Certificate of Change to G1-158498CL@174 will be the actual number of afy that have been perfected by the applicant (this final annual quantity may be less than what was requested). This final annual quantity will be based upon meter readings and will take into account any limitations on the pumping rate, and days and hours of pumping. All unperfected quantities will be returned to the state.

#### Other Rights Appurtenant to the Place of Use

No water right documents were identified on the Alex and Dianne Polson property prior to this water right change.

## **Impairment Considerations**

Since the water that was originally captured by the wells and piped to Yarrow Point for domestic use will now naturally discharge from the aquifer and flow into Lake Washington. Lake Washington will not experience any decrease in the amount of water entering it, being stored in it, or draining from it. Therefore, this water right change will not cause impairment of any existing rights.

The identification of nearby water rights is undertaken so that the hydrogeologist/report writer is aware of those nearby water rights when determining if the new point of diversion will impair any of those rights. Due to the size of Lake Washington, and the pumping rate of the proposed diversion, it was deemed unnecessary to identify other water rights in the vicinity since this pumping rate will not cause a measurable change in the water level of Lake Washington and can therefore automatically be determined that it will not cause impairment.

#### **Potential for Enlargement**

This water right claim will not be enlarged because of this change application as long as the rate and volume of water withdrawn/diverted after the change application is not greater than what was historically perfected by King County Water District No. 1. That means that under this claim, including portions that are broken off of the original claim through change applications, the rate of water being pumped from Lake Washington cannot exceed 293.6 gpm at any point in time and the amount of water pumped during the irrigation season of April 15 through October 31 cannot exceed 259.5 acre-feet per year.

## Same Source of Water

Diverting water from Lake Washington, including the Lake Washington Ship Canal, Salmon Bay, and Lake Union, should be considered to be the same source as withdrawing water from the wells used by the KCWD No. 1 for the following reasons:

- 1. Both the wells and Lake Washington are located in WRIA 8.
- 2. Ground water not captured by the wells, under this water right claim, will naturally discharge from the aquifer, flow down short surface water drainage named Carillon Creek, and ultimately discharge into Lake Washington.

## **CONCLUSIONS**

#### **Beneficial Use**

According to RCW 43.27A.020, RCW 90.14.031, and RCW 90.54.020, irrigation is considered a beneficial use of water.

#### **Public Interest Considerations**

No detriment to the public interest could be identified during the investigation of this application for change.

#### **Consideration of Protests and Comments**

No protests were received during the statutory 30-day protest period

In accordance with chapters 90.03, 90.14, and 90.44 RCW, I conclude that Water Right Claim 158498 is in good standing and is eligible for change. I have determined that the change to Water Right Claim 158498 will not enlarge the claim and the water use will be beneficial. Approval of this change request will not cause impairment of existing rights or be detrimental to the public interest. Based on these conclusions, this change request should be approved subject to existing rights and the above-indicated provisions and a certificate of change should be issued once the change has been perfected.

#### **RECOMMENDATIONS**

Based on the above investigation and conclusions, I recommend that the request for change to a portion of Ground Water Claim 158498 be approved in the amounts and within the limitations listed below and subject to the provisions beginning on Page 2, et seq.

## Purpose of Use and Authorized Quantities

The amount of water recommended is a maximum limit and the water user may only use that amount of water within the specified limit that is reasonable and beneficial:

- 0.040 CFS (18) GPM)
- 1.0 acre-feet per year
- Irrigation of 0.25 acres during irrigation season (April 15 through October 31)

## **Point of Diversion**

SW ¼, Section 27, Township 25 N, Range 4 E. W.M.

## Place of Use

As described on Page 1 of this Report of Examination.

Report by: Onothy Dlenn
Dorothy Glenn
Water Resources Program

JAN 10 2013

Date

If you need this publication in an alternate format, please call Water Resources Program at 425-649-7000. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.

